

TorrentExam

Input your exam code ...

The passing rate of our valid exam braindumps for most certifications is high up to 99%. A small PDF dumps free is ready to download for new customers to tell if our exam dumps are suitable for their real exam.

All Products | Contact now

Why Choose Us



QUALITY AND VALUE

RealExamFree Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



TESTED AND APPROVED

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



EASY TO PASS

If you prepare for the exams using our RealExamFree testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



TRY BEFORE BUY

RealExamFree offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

Customer Reviews



I wasted a lot of money and failed twice. Thanks to HPE0-J78 exam collection I pass now.

Noel



realexamfree is a reliable company. I pass exam at first shot. Many thanks

Julie



Pass BIMF.EN successfully. Really good dumps. It saves me a lot of time. Wonderful!

Ahern



online test engine is very useful for me, because i could practice the C-TERP10-67 question dumps in my phone when i was waiting or on the bus even without internet, i could make the most of my time. Last week, i passed the C-TERP10-67. so i want to share the realexamfree with you guys. hope you will get a good result in test.

Carl

<http://www.torrentexam.com>

Best Exam Bootcamp & Excellent VCE Torrent & Satisfying Dumps Torrent

Exam : **C2040-415**

Title : **Developing OpenSocial Applications**

Vendor : **IBM**

Version : **DEMO**

NO.1 OAuth does not require a specific interaction pattern which makes it ideal for which reason?

- A. For cases where OpenID is required and available to the consumer.
- B. For cases where OpenID is not required but is available to the consumer.
- C. For cases where authentication credentials are unavailable to the consumer.
- D. For cases where authentication credentials are always available to the consumer.

Answer: A

NO.2 How would this markup be corrected?

```
<script type="text/html">
```

```
<div style="font-size: 20px">Hello ${viewer.Name}!</div> </script>
```

- A. There is no flaw with the markup as shown.
- B. The expression should be referenced {\$viewer.Name}.
- C. The script type must be <script type="text/os-template">.
- D. The variable viewer. Name must be tested for null prior to use in an expression.

Answer: C

NO.3 What feature must an OpenSocial API Server support to be compliant?

- A. the REST protocol
- B. Java 1.6 and above
- C. the File Transfer Protocol (FTP)
- D. internationalization via properties files

Answer: A

NO.4 In order for users to render an OpenSocial gadget in IBM Notes or IBM iNotes, what is required in the Person document?

- A. The User id must be stored in the Person document.
- B. "Allow Foreign directory synchronization" field must be set to "Yes".
- C. "Format preference for incoming mail" field must be set to "Prefers Mime".
- D. "Internet Address" field must be populated with the user's Internet email address.

Answer: A

NO.5 Maggie is fine-tuning her OpenSocial gadget to render on screen.

What type of interface is she building that involves the getCallback() method?

- A. timer MiniMessage
- B. Flash movie playback
- C. tabbed gadget interface
- D. status update to contact list

Answer: B

NO.6 Which can a gadget developer use to add or contribute additional functionality to the context menu and the top-level menu in the IBM Notes client?

- A. Actions
- B. Content

- C. Templates
- D. URL embedded experiences

Answer: A

NO.7 What is the context property used for when embedding an OpenSocial gadget?

- A. The "context" field is used to pass data from the gadget to the container.
- B. The "context" field is used to pass data to the gadget so that it knows exactly which content to render.
- C. There is no context property in an embedded experience when it is embedding an OpenSocial gadget.
- D. The context properties are referenced by index for the individual user of each gadget and contain a unique hash for individual embedded experiences.

Answer: B

Reference: <https://opensocial.atlassian.net/wiki/display/OSD/Core-Gadget++Embedded+Experiences>

NO.8 IBM Connections portlets use the REST Service Call Builder for HTTP requests to the Connections REST API.

When might a user see the error message "HTTP Status 403"?

- A. when there is a timeout
- B. when the Connections server is unavailable
- C. when the proxy is not allowing access to the URL
- D. when the REST Service call builder is unavailable

Answer: C